

Architectural floor plan of a bathroom with dimensions and accessibility features. The plan includes a shower area (1.61 x 0.80), a toilet (1.59 x 0.82), a sink (2.12 x 0.81), and a bathtub (2.56 x 1.97). Dimensions for clearances and fixtures are provided. Accessibility features include a wheelchair symbol and a circular area with a diameter of 1.50. The plan is labeled 'DISTRIBUCIÓN. ESCALA 1:50' and 'S1'.

3.30

2.00

3.11

2.82

2.38

1.00

0.84

1.22

0.50

TABQUERÍA DE PLADUR DOBLE PLACA W

ESPACIO 5 cm.

CARPINTERÍA DE MADERA

The floor plan shows a large, irregularly shaped building with various rooms, corridors, and stairwells. A central area is highlighted in blue and labeled "NUCLEO 3". This area is located in the lower-middle part of the plan, adjacent to a large open space on the left and a series of rooms on the right. The blue area contains several small, square-shaped rooms and a larger rectangular room. The label "NUCLEO 3" is positioned above the blue area.







This architectural floor plan shows a rectangular building layout. A central vertical corridor, indicated by a dashed line, provides access to various rooms. On the left side, there is a large room with a 3x2 grid of windows and a smaller room above it. The top center features a room with a 3x3 grid of windows. On the right side, there is another large room with a 3x2 grid of windows and a smaller room below it. The bottom of the plan shows a series of small, square rooms or alcoves. The entire plan is rendered in a simple, schematic style with black lines on a white background.

Architectural floor plan of a bathroom with dimensions and accessibility features. The plan includes a shower area (3.60m x 2.71m), a toilet (1.01m x 1.01m), a sink (1.44m), a bathtub (1.51m), and a wheelchair-accessible area (1.52m x 1.50m). Dimensions are provided in meters. The plan also shows a door (0.88m), a window (0.91m), and a storage area (0.83m x 1.53m). A dashed line indicates a path through the room.

Figure 10 shows a sectional view of a wall with a vertical crack. The wall has a total height of 3.20 and a total width of 0.70. The crack is located 2.70 from the left edge and 2.50 from the bottom edge.

[illegible]

NÚCLEO 0.

	FALSO TECHO MODULAR REGISTRABLE ECOPHON FOCUS A Módulos de 600x600X19 mm
	FALSO TECHO PLADUR W DE 15 MM
	ESQUEMA INSTALACIÓN DE SANEAMIENTO POR SUELO O CARA INFERIOR DE FORJADO
	ESQUEMA INSTALACIÓN DE SANEAMIENTO EMBUTIDA EN PARAMENTO VERTICAL
	ESTRUCTURA AUXILIAR TUBULAR 120.80.5 BAJO UTA. APOYADA EN ELEMENTO RESISTENTE MÁS CERCANO PARA EL ANCLAJE DE LA ESTRUCTURA DE LA TABIQUERÍA.
	CARPINTERÍAS NUEVAS CON PARTE FIJA O REJILLA SEGÚN PLANO DE CARPINTERÍAS.

FECHA	REVISION

AGENCIA ESTATAL DE
SEGURIDAD AÉREA



PROYECTO BÁSICO Y DE EJECUCIÓN DE ACONDICIONAMIENTO
PARCIAL INTERIOR DEL EDIFICIO CASTELLANA 112
PARA LA SEDE DE AESA

Plano:

ASEOS 1
ARQUITECTURA DETALLE

AD03

Fecha: NOV 2016

VICENTE OLMEDILLA RAMOS

VOARC

OFICINA DE PROYECTOS Y OBRAS
Madrid · T 913 669 780 · www.voarq.com

